CHARD UNION

Pural Sanitary Authority.

ANNUAL REPORT

FOR THE

YEAR ENDING DEC. 31st, 1895.

Chard:

PRINTED BY YOUNG AND SON, FORE STREET,
1896.



ANNUAL REPORT

OF THE

Medical Officer of Health

FOR THE

RURAL SANITARY AUTHORITY

OF

THE * CHARD * UNION.

For the Year ending December 31st, 1895.

MR. CHAIRMAN AND GENTLEMEN,

I have much pleasure in presenting to you my 17th Annual Report of the Sanitary Condition and Vital Statistics of your district for the year ending December 31st, 1895.

AREA: 55,000 ACRES. POPULATION: 17,000.

TABULAR STATEMENT	OF BIRTHS & DEATH	IS, &c.
Required by th	ne County Council.	
Registered Births, Males Females		211 193
7	Cotal	404
Registered Deaths, Males Females		130 138
	Total	268
Birth rate per thousand populat		23·7 15·7

TABULAR STATEMENT ALSO REQUIRED BY THE COUNTY COUNCIL.

Birth rate per thousand living.	Death rate per thousand living.	Zymotic death rate per thousand living.	Infant Mortality per thousand Births.
23.7	15.4	0.80	113.8
A	s against the fo	ollowing for the previo	us year.
26'0	15.0	0.30	102.2

MORTALITY FROM ALL CAUSES AT SUBJOINED AGES.

Under one year		46
		28
Five years and under fifteen years	•••	16
Fifteen years and under twenty five years		10
Twenty five years and under sixty five years		76
Sixty five years and upwards		9 2
Total		268

MONTHLY RETURN OF BIRTHS AND DEATHS. BIRTHS. DEATHS.

The state of the s		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		بروس ومعدد والمالية	-	
	Males.	Females.	Total.	Males.	Females.	Total.
January	20	12	32	13	16	29
February	17	20	37	14	18	32
March	20	13	33	17	8	25
April	22	13	. 35	18	16	34
May		26	49	10	10	20
Tune		15	31	9	12	21
July	16	23	39	7	10	17
August		12	32	9	5	14
September	18	18	36	5	12	17
October		12	18	6	14	20
November	16	19	35	12	9	21
December	17	10	27	10	8	18
Grand total	211	193	404	130	138	268

TABULAR STATEMENT OF DEATHS, As required by the Local Government Board.

Ague											0
Small-pox								•••			0
Scarlet Fever										,	2
Diphtheria				***					• • • •		ō
Croup										•••	ĭ
Typhus Fever	•••		••••				•••		•••		Ô
Typhoid Fever		•••				•••		•••		•••	3
Continued	•••				•••		•••		***		U
20.1											0
	•	• • • •		4 + 4		***		***		***	U
Puerperal)											^
Cholera	***		***		• • • •		* * *		***		0
Diarrhœa		••		••		***		4 4 4			0
Rheumatic Fever	• • •		* * *		***		***		**		0
Measles		•••		***		• • •		•••		•••	6
Whooping Cough	•••										3
Erysipelas											Ι
Phthisis							***				13
Bronchitis >										X	
Pneumonia											58
Pleurisy ')											
Heart Disease											12
Injuries				. 1							5
All other Diseases											64
										-	
		Tota	1							2	68

METEOROLOGY.

The rainfall for the year 1895 was 33 inches, the rainfall for the

Tabl ten	years	neing						
1885			37 i	nches	1890	 •••	30	inches
1886			35	,,	1891	 	39	
1887			24	,,	1892	 	26	"
1888		•••	34	,,	1893	 ***	26	"
1889		.,	25	"	1894	 	44	"
go that	the me	infall f	on the		***************************************		-1	",1

so that the rainfall for the year was really one inch above

average for the last ten years.

A comparison of the rainfall in the north, south, and west is interesting :- North, at Gordon Castle, 34 inches was registered; South at Chichester, 28 inches; East, whilst our rainfall was 33 inches.

PREVALENCE OF DISEASE

During the early part of the year cases of Influenza and Measles were prevalent, neither of these diseases being included amongst the list of diseases "notified" under the "Infectious Diseases Notification Act," we, therefore, have no regular means of ascertaining an outbreak of these diseases, so that, speaking generally, the disease is pretty well spread over a parish before we are requested to take any steps towards checking it from spreading. Influenza, Measles, and Whooping Cough should, undoubtedly, be included in the list of diseases to be notified, steps could then be taken to "isolate" the cases at the commencement, and so materially lessen the chance of an epidemic. During the autumnal part of the year a few cases of Enteric Fever were reported, in one or two of the cases it was found almost impossible to trace the origin; in all cases immediate steps were taken, in order to prevent the disease from spreading, the steps taken, in every case, proved suc-Considering the unusually high temperature experienced during this period, and also the drought, it is certainly very fortunate so few cases of this discase were notified.

The number of deaths due to diseases coming under the heading of "zymotic" were 15, against 11 the previous year, viz.; Measles, 6; Whooping Cough, 3; Typhoid Fever, 3; Scarlet Fever, 2; and Croup, 1.

At present we have no special hospital for the treatment of infectious cases—such an institution would undoubtedly be a

great boon--because, on receipt of the notification of a disease of an infectious character, the case would be at once removed to the hospital, and an epidemic, so to speak, would, practically speaking, be nipped in the bud

DAIRIES, COW-SHEDS, BAKE-HOUSES, AND SLAUGHTER-HOUSES.

Your Inspectors have regularly visited the above, and reported them as being in a satisfactory condition generally. Before constructing a Dairy-House, it is highly essential that the site chosen should be one where the drainage would have a free run, and that a plentiful supply of pure water is close at hand. The rooms should be lofty, with a good system of ventilation and lighting, and the floor in all cases where milk is kept, should be well cemented.

SPECIAL INSPECTIONS:

The parish of Misterton having been included in my district. a special inspection of the sanitary arrangements of the parish was made. There is no system of drainage there, but the house drains go direct into a small stream; after a spell of dry weather, the water in the stream is not sufficient to carry away the sewage, and the stench which naturally arises from the sewage deposited on the sides of the stream, must be very injurious to health. A proper system of drainage was recommended, and the "Rivers Pollution Act" was pointed out to the Parochial Committee. At Coombses, Tatworth, in the parish of Chard, consisting of about 15 cottages, a special inspection of the sanitary arrangements and water supply was made. Taking into consideration the situation of these cottages, the present arrangement of privy and cesspit was condemned, and the earth closet system recommended. There being a fine spring of water in the locality, the Parochial Committee were advised to bring this water down in a pipe, for the use of the inhabitants of these cottages, the expense of which would be quite nominal. For many years I have brought before the notice of this Authority, the indifferent water supply for the cottagers at Kenny Ashill, at present derived from a stream, which stream, when there is a heavy rainfall, receives the overflow from two farm yards, before reaching the cottages, whilst an ample supply of wholesome water could be brought down in a pipe, from a spring in an adjacent field.

FACTORY AND WORK-SHOP ACT.

The various Factories and Work-shops coming under this act, have been visited by the Inspectors, and reported to be kept in satisfactory condition.

HOUSING OF THE WORKING CLASS ACT.

During the year it was found necessary to have a few cottages repaired, all of these cottages were in the Crewkerne Division. If cottagers are to keep their cottages clean and neat, cottages constructed with some idea of comfort and attractiveness, must be placed at their disposal.

EXPOSURE OF MEAT, FISH, &c. FOR SALE, UNFIT FOR HUMAN FOOD.

It certainly speaks well for our district, that during the year no meat, fish, &c., was found by the inspectors, exposed for sale, unfit for human food. A considerable number of samples of water were received for testing; where there was any doubt about the purity of the sample, another was forwarded to the County Analyst.

PUBLIC BATHS.

I trust the Parish Councils will see the necessity of supplying Public Baths, as that portion of the community which have the greatest need of bathing, have the least facilities for so doing. Decomposed secretions of the skin, which accumulate on the the body, are not only offensive, but highly injurious.


In conclusion, I may state your Inspectors regularly visit their district, and a notice is given to abate any nuisance without delay. Three hundred and twenty-eight petty nuisances were thus reported, and abated during the year.

I am, Gentlemen, Your obedient servant,

EDWARD STEPHENS,

Medical Officer of Health.

Ilminster, January 16th, 1896.



List of Nuisances Reported and Abated during the year 1895.

	_ +							_		•		
PARISH.	Defective Drains.	Choked Closets.	Fish and Meat exposed.	Insufficient Privy Accommodation.	Privy and Cesspit overflowing.	Accumulation of Refuse.	Lime Washing.	Overcrowding.	Cleaning Wells.	Pig Styes kept in filthy condition.	Dilapidated Houses.	TOTAL
CHARD DISTRICT.												
Inspector, Mr. R. Smith. Buckland St. Mary Chard Parish Combe St. Nicholas Chaffcombe Whitestaunton Wambrook	14	2 4 11		12 4	3 3	6 8 6 1	4 12 3 2 1		I 17 2	2 2 2	I	15 73 31 0 6
	16	17		16	6	22	22		21	6	I	127
Crewkerne District.												
Inspector, Mr. Holwell. W. Crewkerne Merriott Lopen Hinton St. George Dinnington Chillington Cudworth Cricket St. Thomas Winsham Wayford Misterton	1 4 4 1 3 5 4 22	2 2 1		3 14 21	6 5 2 1 6 1 6 7 7	2 11 6	4 3 5 3 1 1 17	2	1 I I I I I I I I I I I I I I I I I I I	1 2 1	1 1 1 1	19 32 1 17 5 13 0 0 15 6 29
Ilminster District.]					
Inspector, Mr. Fenner. Ilminster Shepton Seavington Ashill Ilton Dowlish Wake Broadway Cricket Malherbie Kingstone Stocklinch Dowlish Wake Knowle St. Giles Whitelackington	4 2 3 1 2	3			4 2 2 3 1	6 2 4 1 1 2	5		1 1	3 2 1 1		29 6 5 4 9 2 5 4 0 0
	15	3			12	16	6			8	ļ	64

	М					ALL D AG		ES.		Мо	RTAL	JTY	FROM	SUB	OINE	O CA	USES	DIST	INGU	ISHI	NG I	DEAT:	HS O	F Сн	ILDE	EN U	NDEI	R FI	VE Y	EARS (
PARISH.	9	,	Year.	r 5.	. 15.	r 25.	er 65	ards.			ä,		sno		FE	VERS				· Si		bo	and y.	ic.		neu- ur.sy	ase		ا. را	
TAKISII.	At all acres		н	I and under	5 and under	15 and under	25 and under 65	65 and upwards.	,	Smallpox	Scarlatina	Diptheria	Membranous Croup.	Typhus.	Enteric or Typhoid.	Continued.	Relapsing.	Puerperal.	Cholera,	Erysipelas	Measles.	Whoopin Cough.	Diarrhœa and Dysentery.	Rheumat Fever.	Phthisis	Bronchitis, Pneu monia & Pleur's	Heart Disease	Injuries,	All Other Diseases.	TOTAL.
Ashill			Ì	1	I	I	4	2	Under 5 5 upwards						I											I I	1		5	I 8
Broadway		7			1		4	2	Under 5 5 upwards																1		I		5	7
Buckland St. Mary	1		1	3			1	7	Under 5 5 upwards										J.			1	1		r	I			7	3 8
Chard Parish	24	1	4	2	2		9	7	Under 5 5 upwards	1																2 4		2	4 12	6 18
Crewkerne	1.	1	2	3	2		4	3	Under 5 5 upwards					t							3				I	2	I	1	2 4	5 9
Chillington		5	2				2	ø I	Under 5 5 upwards	117															1				2 2	3
Cudworth		2	2						Under 5 5 upwards												I								1	2
Chaffcombe	6	5	I				4	I	Under 5 5 upwards																		1		4	5
Combe St. Nicholas	20		9	1	1	2	2	5	Under 5 5 upwards		1							1							2	3	1	1	5 7	10
Cricket Malherbie					1				Under 5 5 upwards																				1	1
Cricket St. Thomas			1				1		Under 5 5 upwards																	I				I
Donyatt	1:	2		4	2	1	3	3	Under 5 5 upwards																	3 2	2		4	8
Dowlish Wake	•	5	Ŋ	I			1	4	Under 5 5 upwards				I	1	1		Ш												4	5
Dowlish West		1	1						Under 5 5 upwards																	I				I
Dinnington		o ·	1						Under 5 5 upwards															1	1					
Hinton St. George		9	3	1	I			4	Under 5 5 upwards											1						2			2 4	4 5
Ilminster	5	0	4	7	1	3	16	19	Under 5 5 upwards		I														2	4 7	2		7 27	39
Ilton		6		I		I	2	2	Under 5 5 µpwards						3											2			3	5
Kingstone		2		1			1		Under 5 5 upwards				1					1											I	I
Knowle St. Giles		1	1						Under 5 5 upwards			1	1																1	1
Lopen		8	1				3	4	Under 5 5 upwards													П				I 2		1	4	7
Merriott	1	9	4	1		I	7	6	Under 5 5 upwards				Į.												2	3 3	1		8	5 14
Misterton		9	2		1		I	5	Under 5 5 upwards			1	1													2	1		4	7
Seavington St. Mary		3	1					3	Under 5 5 upwards				1																3	3
Seavington St. Michael		2					1	1	Under 5 5 upwards			1														1			1	2
Shepton Beauchamp	1	4	5	1			4	4	Under 5 5 upwards			1														3 2			3 6	6 8
Stocklinch		3				2		I	Under 5 5 upwards																1				2	3
Wayford		6		1	1		1	3	Under 5 5 upwards												I				I	2			1	5
Wambrook		3	1				I	I	Under 5 5 upwards				11														I		I	I 2
Whitelackington		1					I		Under 5 5 upwards						1								-						1	1
Whitestaunton		0							Under 5 5 upwards																					
Winsham		13	4		2		3	4	Under 5 5 upwards						I									2	I				2 4	4 9
TOTALS	26	58	46	28	16	10	76	92			I		1	1	3					I	5 I	3			13	24 34	12	4	39 125	74 194



		Population AT					SICE O								TO
PARISH.		ALL AGES.		×	la.	ig.	snor.		FI	EVER	s.			as.	
		Census 1891.		Smallpox.	Scarlatina.	Diptheria.	Membranous Croup.	Typhus.	Enteric or Typhoid.	Continued.	Relapsing.	Puerperal.	Cholera	Erysipelas	
Ashill		552	Under 5 5 upwards		1				I	1					
Broadway	•••	332	Under 5 5 upwards									I			
Buckland St. Mary	•··	586	Under 5 5 upwards											ı	
Chard Parish		1740	Under 5 5 upwards									1		3	
Crewkerne		763	Under 5 5 upwards												
Chillington		195	Under 5 5 upwards							H					
Cudworth	•••	108	Under 5 5 upwards						1						
Chaffcombe	•••	192	Under 5 5 upwards									1		I	
Combe St. Nicholas	•••	1069	Under 5 5 upwards		4					3 2				3	
Cricket Malherbie		46	Under 5 5 upwards												
Cricket St. Thomas	•••	90	Under 5 5 upwards												
Donyatt		355	Under 5 5 upwards								I	ı		2	
Dowlish Wake		273	Under 5 5 upwards				1		2					I	
Dowlish West		59	Under 5 5 upwards												
Dinnington		137	Under 5 5 upwards												
Hinton St, George		649	Under 5 5 upwards								1 3			I	
Ilminster		3135	Under 5 5 upwards		7 3		1		5					3	
Ilton		332	Under 5 5 upwards											1	
Kingstone		199	Under 5 5 upwards												
Knowle St. Giles		92	Under 5 5 upwards												
Lopen		292	Under 5 5 upwards												
Merriott		1349	Under 5 5 upwards						I					1	
Misterton		675	Under 5											ī	
Seavington St. Mary		. 269	Under 5 5 upwards												
Seavington St. Michael		176	Under 5 5 upwards												
Shepton Beauchamp		670	Under 5 5 upwards					I						1	
Stocklinch		183	Under 5 5 upwards											1	
Wayford		367	Under 5 5 upwards		3										
Wambrook		231	Under 5 5 upwards		1										
Whitelackington		183	Under 5 5 upwards												
Whitestaunton		205	Under 5 5 upwards												
Winsham		749	Under 5 5 upwards						2					I	
Totals			3 upwarus												
				1			1)			l		1	

